

PATENT Attorney Docket No. DHI-08810

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: David R. Scholl et al.

Serial No.:

10/813,852

Group No.:
Examiner:

Filed: Entitled:

03/30/04 F MIXED CELL DIAGNOSTIC SYSTEMS

TRANSMITTAL LETTER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

Ву: ___

Chill Cunnon-Cin

Sir or Madam:

Enclosed please find an Information Disclosure Statement, Form PTO-1449 and copy of 28 references for filing in the U.S. Patent and Trademark Office.

The Commissioner is hereby authorized to charge any fee or credit overpayment related to this filing to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated:

August 17,2004

Mahattandan

Maha A. Harndan Registration No. 43,655

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 350 San Francisco, California 94105 415.904.6500

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Fe Application of: David R. Scholl et al.

Serial No.:

10/813,852

Group No.:

Filed:

03/30/04

Examiner:

Entitled:

MIXED CELL DIAGNOSTIC SYSTEMS

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

| CERTIFICATE | OF | MAILING | UNDER | 37 | CFR 8 | § 1.80 | (\mathbf{a}) |
|-------------|----|---------|-------|----|-------|--------|----------------|
| | | | | | | | |

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on $\frac{8-10-2004}{1-10-2004}$.

By:

Cliff Cannon-Cin

Sir or Madam:

The citations listed below may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

In accordance with 37 CRF § 1.98(d), a copy of the references numbered as 10-24 in the attached PTO-1449 is **not** provided since it was previously submitted to the Office in prior application serial number 10/407,789 (our file DHI-07937), which is relied upon for an earlier filing date under USC §120.

The following citations are referred to in the body of the specification:

- Boshart *et al.*, "A Very Strong Enhancer Is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," *Cell* 41:521-530 (1985);
- Dijkema et al., "Cloning and Expression of the Chromosomal Immune Interferon Gene of the Rat," EMBO J. 4:761-767 (1985);

- Gorman et al., "The Rous Sarcoma Virus Long Terminal Repeat is a Strong Promoter When Introduced into a Variety of Eukaryotic Cells by DNAmediated Transfection," Proc. Natl. Acad. Sci. USA 79:6777-6781 (1982);
- Kim et al., "Use of the human elongation factor 1α promoter as a versatile and efficient expression system," Gene 91:217-223 (1990);
- Leland, *Clinical Virology*, W.B. Saunders Company, Philadelphia, PA at pp. 60-65, and 85-86 (1996);
- Maniatis et al., "Regulation of Inducible and Tissue-Specific Gene Expression,"
 Science 236:1237 (1987);
- Mizushima and Nagata, "pEF-BOS, a powerful mammalian expression vector,"
 Nuc. Acids. Res. 18:5322 (1990);
- Olsen *et al.*, "Isolation of Seven Respiratory Viruses in Shell Vials: a Practical and Highly Sensitive Method," *J. Clin. Microbiol.* 31:422-425 (1993);
- Rabalais et al., "Rapid Diagnosis of Respiratory Viral Infections by Using a
 Shell Vial Assay and Monoclonal Antibody Pool," J. Clin. Microbiol., 30:15051508 (1992);
- Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, New York, pp. 16.6-16.15 (1989);
- Schmidt and Emmons, "General Principles of Laboratory Diagnostic Methods for Viral, Rickettsial, and Chlamydial Infections," in Schmidt and Emmons (eds.), Diagnostic Procedures for Viral, Rickettsial and Chlamydial Infections, American Public Health Association, Washington, D.C., page 4 (1989);
- Smith *et al.*, "Detection of Respiratory Syncytial virus in Nasopharyngeal Secretions by Shell Vial Technique," *J. Clin. Microbiol.* 29:463-465 (1991);
- Uetsuki et al., "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1α," J. Biol. Chem. 264:5791-5798 (1989);
- Voss *et al.*, "The role of enhancers in the regulation of cell-type-specific transcriptional control," *Trends Biochem. Sci.* 11:287-289 (1986); and
- Wiedbrauk and Johnston, *Manual of Clinical Virology*, Raven Press, Inc., New York, NY, pp. 1-17, and 64-76 (1993).

A copy of the following citations, numbered as 1 and 25-39 in the PTO-1449, copies **not** attached, were submitted in Information Disclosure Statements which were mailed to the Office on 8/30/99 and 4/19/2000 in the prior application Serial No. 09/066,072 (our file DHI-03315):

- Dagan and Menegus, "A combination of four cell types for rapid detection of enteroviruses in clinical specimens," J. Med. Virol. 19: 219-228 (1986);
- Chonmaitree et al., "Comparison of Cell Cultures for Rapid Isolation of Enteroviruses," J. Clin. Microbiol. 26:2576-2580 (1988);
- Castells *et al.*, "NCI-H292 as an Alternative Cell Line for the Isolation and Propagation of the Human Paramyxoviruses," *Arch. Virol.* 115:277-288 (1990);
- Brumback and Wade, "Simultaneous Rapid Culture for Four Respiratory Viruses in the Same Cell Monolayer Using a Differential Multicolored Fluorescent Confirmatory Stain," J. Clin. Microbiol. 34:798-801 (1996);
- Gleaves *et al.*, "Detection of Human Cytomegalovirus in Clinical Specimens by Centrifugation Culture with a Nonhuman Cell Line," *J. Clin. Microbiol.* 30:1045-1048 (1992);
- Hierholzer et al., "Sensitivity of NCI-H292 Human Lung Mucoepidermoid
 Cells for Respiratory and Other Human Viruses," J. Clin. Microbiol. 31:1504-1510 (1993);
- Klespies et al., "Detection of enteroviruses from clinical specimens by spin amplification shell vial culture and monoclonal antibody assay," J. Clin.

 Microbiol. 34:1465-1467 (1996);
- Leonardi *et al.*, "Use of Continuous Human Lung Cell Culture for Adenovirus Isolation," *Intervirology* 38:352-355 (1995);
- ViroMED Laboratories, Inc. Pamphlet entitled, "ViroMed Cell Culture Products (1996);
- Navarro-Mari et al., "Rapid Detection of Respiratory Viruses by Shell Vial
 Assay Using Simultaneous Culture of HEp-2, LLC-MK2, and MDCK Cells in a
 Single Vial," J. Clin. Microbiol. 37: 2346-2347 (1999);
- U.S. Patent No. 5,939,253, issued 08/17/99 to Scholl et al.;

- Benton & Hurst (1986) "Evaluation of mixed cell types and 5-iodo-2'deoxyuridine treatment upon plaque assay titers of human enteric viruses,"
 Applied and Environmental Microbiology 51:1036-1040;
- Miller et al. (1969) "Clinical virology and viral surveillance in a pediatric group practice: The use of double-seeded tissue culture tubes for primary virus isolation," Am. J. Epidemiol.. 88:245-256;
- Schindler *et al.*, "Investigation of ELVIS Technology for use in HSV Typing of Clinical Specimens," Abstract, 11th Annual Clinical Virology Symposium, May 1, 1995, Clearwater Beach, FL.;
- Jollick et al., "Typing of HSV with the ELVIS HSV typing system: differential staining characteristics do not result from promoter-transactivator specificity,"
 Abstract, 12th Annual Clinical Virology Symposium, Clearwater FL (1996);
 and
- Astier-Gin *et al.* (1995) "Identification of HTLV-I- or HTLV-II-producing cells by cocultivation with BHK-21 cells stably transfected with a LTR-lacZ gene construct," J. Virological Methods 51:19-30.

The citations listed in the accompanying form PTO-1449 as numbers 2-3 and 40-42, copies attached, were cited in the International Search Report in parent application PCT/US99/09015 filed 4/26/99 (our file DHI-03729).

- U.S. Patent No. 4,224,412 issued 9/23/80 to Dorofeev et al.;
- U.S. Patent No. 5,418,132 issued 5/23/95 to Olivo;
- Rabalais et al. (1992) "Rapid Diagnosis of Respiratory Viral Infections by
 Using a Shell Vial Assay and Monoclonal Antibody Pool," J. Clin. Microbiol.
 30:1505-1508;
- Smith et al. (1991) "Detection of Respiratory Syncytial virus in Nasopharyngeal Secretions by Shell Vial Technique," J. Clin. Microbiol. 29:463-465; and
- Heggie *et al.* (1993) "Rapid detection of herpes simplex virus in culture by in situ hybridization, J. Virol. Meth. 41:1-7.

The citations listed in the accompanying form PTO-1449 as numbers 4-5 and 43, copies attached, were cited in the International Preliminary Examination Report in parent application PCT/US99/09015 filed 4/26/99 (our file DHI-03729).

- U.S. Patent No. 5,262,359 issued 11/16/93 to Hierholzer;
- U.S. Patent No. 4,193,991 issued 3/18/80 to Appel et al.; and
- Lennette *et al.* "Diagnostic Procedures for Viral and Rickettsia Infections," Amer. Publ. Health Assoc, Inc., 1969, Fourth Edition, pp 653-655, 659-660, and 570-572.

The citations listed in the accompanying form PTO-1449 as numbers 39 (copy **not** attached as it was submitted in Information Disclosure Statements which was mailed to the Office on 8/30/99 and 4/19/2000 in the prior application Serial No. 09/066,072 (our file DHI-03315)) and 44, (copy attached), were cited by OPIC in Canadian parent application no. 2,326,724 (our file DHI-04803):

- Astier-Gin et al. (1995) "Identification of HTLV-I- or HTLV-II-producing cells by cocultivation with BHK-21 cells stably transfected with a LTR-lacZ gene construct," J. Virol. Methods 51:19-30; and
- Fong *et al.* (1991) "Advantages of multiple cell culture systems for detection of mixed-virus infections," J. Virol. Methods 33:283-289.

The citations listed in the accompanying form PTO-1449 as numbers 9 (copy attached), 35 (copy **not** attached as it was submitted in Information Disclosure Statements which was mailed to the Office on 8/30/99 and 4/19/2000 in the prior application Serial No. 09/066,072 (our file DHI-03315)), and 45-50, copies attached, were cited by the European Patent Office in European parent application no. 99 920 029.8 (our file DHI-04848):

- Benton & Hurst (1986) "Evaluation of mixed cell types and 5-iodo-2'-deoxyuridine treatment upon plaque assay titers of human enteric viruses,"

 Applied and Environmental Microbiology 51:1036-1040;
- Tougianidou et al. (1989) "Assessment of Various Cell Lines (including Mixed Cell Cultures) for the Detection of Enteric Viruses in Different Water Sources,"
 Water Science and Tech. 21:311-314;

- Subrahmanyan et al. (1974) "The Development of Double Seeded and Mixed Cell Culture Systems for Use in Diagnostic Virology," Archiv Fuer Die Gesamte Virusforschung 44:291-297;
- Huang *et al.* (2000) "Application of mixed cell lines for the detection of viruses from clinical specimens," Clin. Microbiol. Newsletter 22:89-92;
- WO 97 24461 issued 7/10/97 to Huang;
- Reina *et al.* (1997) "Comparison of Madin-Darby canine kidney cells (MDCK) with a green monkey continuous cell line (Vero) and human lung embryonated cells (MRC-5) in the isolation of influenza A virus from nasopharyngeal aspirates by shell vial culture," J. Clin. Microbiol. 35:1900-1901;
- Schultz-Cherry et al. (1998) "Mink lung epithelial cells: Unique cell line that supports influenza A and B virus replication," J. Clin. Microbiol. 36:3718-3720; and
- Huang et al. (2000) "Mink lung cells and mixed mink lung and A549 cells for rapid detection of influenza virus and other respiratory viruses," J. Clin. Microbiol. 38:422-423.

The citations listed in the accompanying form PTO-1449 as numbers 51-52, copies attached, were cited by the Australian Patent Office in Australian parent application no. 37616/99 (our file DHI-04847):

- Rangan *et al.* (1972) "Detection and assay of feline leukemia virus (FeLV) by a mixed culture cytopathogenicity method," Virol. 47:247-250; and
- Karetnyi et al. (1982) "Use of a co-cultivation method for detecting cytomegalovirus contamination of cell cultures of simian origin," Voprosy Virusdogii 27(2), Abstract.

Applicant has become aware of the following printed publications, copies attached, which may be material to the examination of this application:

- U.S. Patent No. 6,168,915 issued 1/2/01 to Scholl *et al.*;
- U.S. Patent No. 6,376,172 issued 4/23/02 to Scholl et al.;
- U.S. Patent No. 6,573,080 issued 6/3/03 to Scholl et al.;

Ø 004 Ø 010

08/17/2004 09:27 FAX 415 904 6511

MC - SF Interoffice

PATENT Attorney Docket No. DHI-08810

- Scholl et al., U.S. Application No. 20030215796 published 11/20/03;
- Chan et al. (2003) "Human Metapneumovirus Detection in Patients with Severe Acute Respiratory Syndrome," Emerging Infec. Dis. 9:1058-1063;
- Frank et al. (1979) "Comparison of Different Tissue Cultures for Isolation and Quantitation of Influenza and Parainfluenza Viruses," J. Clin. Microbiol. 10:32-36;
- Setterquist et al. "A Comparison of LLC-MK2 and R-MixTM (A549, MV1lu)
 Cells for the Detection of Human Metapneumovirus," 19th Annual Clinical
 Virology Symposium, Clearwater, FL, April 27-30, 2003;
- Genomes, T.A. Brown, Wiley-Liss, 1994, page 179;
- Biochemistry, Third Edition, W.H. Freeman and Company, NY, 1988, page 98; and
- The Encyclopedia of Molecular Biology, Blackwell Science, 1994, page 225.

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: August 17, 2004

Maha A. Hamdan Registration No. 43,655

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 350 San Francisco, California 94105 415.904.6500

Mahattandan

FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: DHI-08810

Serial No.: 10/813,852

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

with next communication to applicant.

Applicant: David R. Scholl et al.

(37 CFR § 1.98(b))

Filing Date: 03/30/04 Group Art Unit:

| | 98(b)) | & TRAULE | | Filing Date: 03/30/0 | 14 | Group Art Un | 16. | |
|----------------------|-------------|--|------------------------|---|---------------------------|-----------------|-------------|--------|
| | | _ | | U.S. PATENT DOCUMENTS | | | | |
| Examiner Initials | Cite No. | Serial / Patent Number | Issue Date | Applicant / Patentee | oplicant / Patentee Class | | Filing | , Date |
| | 1 | 5,939,253 | 08/17/99 | Scholl et al. | | | | |
| | 2 | 4,224,412 | 9/23/80 | Dorofeev et al. | | | | |
| | 3 | 5,418,132 | 5/23/95 | Olivo | | | | |
| | 4 | 5,262,359 | 11/16/93 | Hierholzer | | | | |
| | 5 | 4,193,991 | 3/18/80 | Appel et al. | | | | |
| | 6 | 6,168,915 | 1/2/01 | Scholl et al. | | | | |
| | 7 | 6,376,172 | 4/23/02 | Scholl et al. | | | | |
| | 8 | 6,573,080 | 6/3/03 | Scholl et al. | | | | |
| | | FC | REIGN PATENTS C | OR PUBLISHED FOREIGN PATENT APPI | LICATIONS | | ··- | |
| | | Document | D. H. Carlos David | Control Provide Office | CI. | | | lation |
| | | Number | Publication Date | Country / Patent Office | Class | Subclass | Yes | N |
| | 9 | WO 97 24461 | 7/10/97 | PCT | | <u>.</u> | | |
| | | OTHER | DOCUMENTS (Inclu | ding Author, Title, Date, Relevant Pages, Pl | ace of Publication) | | | |
| * | 10 | Boshart et al., "A Very Strong Enhancer Is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell 41:521-530 (1985) | | | | | | |
| * | 11 | Dijkema et al., "Cloning and Expression of the Chromosomal Immune Interferon Gene of the Rat," EMBO J. 4:761-767 (1985) | | | | | | |
| X | 12 | Gorman et al., "The Rous Sarcoma Virus Long Terminal Repeat is a Strong Promoter When Introduced into a Variety of Eukaryotic Cells by DNA-mediated Transfection," Proc. Natl. Acad. Sci. USA 79:6777-6781 (1982) | | | | | | |
| * | 13 | Kim et al., "Use of the human elongation factor 1α promoter as a versatile and efficient expression system," Gene 91:217-223 (1990) | | | | | | |
| * | 14 | Leland, Clinical Virology, W.B. Saunders Company, Philadelphia, PA at pp. 60-65, and 85-86 (1996) | | | | | | |
| * | 15 | Maniatis et al., "Regulation of Inducible and Tissue-Specific Gene Expression," Science 236:1237 (1987) | | | | | | |
| * | 16 | Mizushima and Nagata, "pEF-BOS, a powerful mammalian expression vector," Nuc. Acids. Res. 18:5322 (1990) | | | | | | |
| * | 17 | Olsen et al., "Isolation of Seven Respiratory Viruses in Shell Vials: a Practical and Highly Sensitive Method," J. Clin. Microbiol. 31:422-425 (1993) | | | | | | |
| * | 18 | Rabalais et al., "Rapid Diagnosis of Respiratory Viral Infections by Using a Shell Vial Assay and Monoclonal Antibody Pool," J. Clin. Microbiol., 30:1505-1508 (1992) | | | | | | |
| * | 19 | Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, New York, pp. 16.6-16.15 (1989) | | | | | | |
| * | 20 | Schmidt and Emmons, "General Principles of Laboratory Diagnostic Methods for Viral, Rickettsial, and Chlamydial Infections," in Schmidt and Emmons (eds.), Diagnostic Procedures for Viral, Rickettsial and Chlamydial Infections, American Public Health Association, Washington, D.C., page 4 (1989) | | | | | | |
| * | 21 | Smith et al., "Detection of Respiratory Syncytial virus in Nasopharyngeal Secretions by Shell Vial Technique," J. Clin. Microbiol. 29:463-465 (1991) | | | | | | |
| ¥ | 22 | Uetsuki et al., "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1α," J. Biol. Chem. 264:5791-5798 (1989) | | | | | | |
| | . – | Voss et al., "The role of enhancers in the regulation of cell-type-specific transcriptional control," Trends Biochem. Sci. 11:287-289 (1986) | | | | | | |
| * | 23 | Voss et al., The ro | ne of enhancers in the | regulation of cen-type-specific transcription | | Biochem. Sci. 1 | 1:287-289 (| (1980) |
| | 23 24 | <u> </u> | | rical Virology, Raven Press, Inc., New York | | | 1:287-289 (| (1980) |

| | | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: DHI-08810 | Serial No.: 10/813,852 | | |
|---|------|---|---|-----------------------------------|--|--|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | ON DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | Applicant: David R. Scholl et al. | | | |
| (37 CFR § 1.98(b)) | | | Filing Date: 03/30/04 | Group Art Unit: | | |
| | | OTHER DOCUMENTS (Including Author, Title, D | ate, Relevant Pages, Place of Publication) | | | |
| * | 25 | Dagan and Menegus, "A combination of four cell types for ra 228 (1986) | pid detection of enteroviruses in clinical sp | ecimens," J. Med. Virol. 19: 219- | | |
| * | 26 | Chonmaitree et al., "Comparison of Cell Cultures for Rapid Is | olation of Enteroviruses," J. Clin. Microbia | ol. 26:2576-2580 (1988) | | |
| * | 27 | Castells et al., "NCI-H292 as an Alternative Cell Line for the Isolation and Propagation of the Human Paramyxoviruses," Arch. Virol. 115:277-288 (1990) | | | | |
| * | 28 | Brumback and Wade, "Simultaneous Rapid Culture for Four Respiratory Viruses in the Same Cell Monolayer Using a Differential Multicolored Fluorescent Confirmatory Stain," J. Clin. Microbiol. 34:798-801 (1996) | | | | |
| * | 29 | Gleaves et al., "Detection of Human Cytomegalovirus in Clinical Specimens by Centrifugation Culture with a Nonhuman Cell Line," J. Clin. Microbiol. 30:1045-1048 (1992) | | | | |
| * | 30 | Hierholzer et al., "Sensitivity of NCI-H292 Human Lung Mucoepidermoid Cells for Respiratory and Other Human Viruses," J. Clin. Microbiol. 31:1504-1510 (1993) | | | | |
| * | 31 | Klespies et al., "Detection of enteroviruses from clinical specimens by spin amplification shell vial culture and monoclonal antibody assay," J. Clin. Microbiol. 34:1465-1467 (1996) | | | | |
| * | 32 | Leonardi et al., "Use of Continuous Human Lung Cell Culture for Adenovirus Isolation," Intervirology 38:352-355 (1995) | | | | |
| * | 33 | ViroMED Laboratories, Inc. Pamphlet entitled, "ViroMed Cell Culture Products (1996) | | | | |
| * | 34 | Navarro-Mari et al., "Rapid Detection of Respiratory Viruses by Shell Vial Assay Using Simultaneous Culture of HEp-2, LLC-MK2, and MDCK Cells in a Single Vial," J. Clin. Microbiol. 37: 2346-2347 (1999) | | | | |
| * | 35 | Benton & Hurst (1986) "Evaluation of mixed cell types and 5-iodo-2'-deoxyuridine treatment upon plaque assay titers of human enteric viruses," Applied and Environmental Microbiology 51:1036-1040 | | | | |
| * | 36 | Miller et al. (1969) "Clinical virology and viral surveillance in a pediatric group practice: The use of double-seeded tissue culture tubes for primary virus isolation," Am. J. Epidemiol 88:245-256 | | | | |
| * | 37 | Schindler et al., "Investigation of ELVIS Technology for use in HSV Typing of Clinical Specimens," Abstract, 11th Annual Clinical Virology Symposium, May 1, 1995, Clearwater Beach, FL. | | | | |
| * | 38 | Jollick et al., "Typing of HSV with the ELVIS HSV typing system: differential staining characteristics do not result from promoter-transactivator specificity," Abstract, 12th Annual Clinical Virology Symposium, Clearwater FL (1996) | | | | |
| * | 39 | Astier-Gin et al. (1995) "Identification of HTLV-I- or HTLV-II-producing cells by cocultivation with BHK-21 cells stably transfected with a LTR-lacZ gene construct," J. Virological Methods 51:19-30 | | | | |
| * | 40 | Rabalais et al. (1992) "Rapid Diagnosis of Respiratory Viral Infections by Using a Shell Vial Assay and Monoclonal Antibody Pool," J. Clin. Microbiol. 30:1505-1508 | | | | |
| | 41 / | Smith et al. (1991) "Detection of Respiratory Syncytial virus in Nasopharyngeal Secretions by Shell Vial Technique," J. Clin. Microbiol. 29:463-465 | | | | |
| | 42 / | Heggie et al. (1993) "Rapid detection of herpes simplex virus in culture by in situ hybridization, J. Virol. Meth. 41:1-7 | | | | |
| | 43 🗸 | Lennette et al. "Diagnostic Procedures for Viral and Rickettsia Infections," Amer. Publ. Health Assoc, Inc., 1969, Fourth Edition, pp 653-655, 659-660, and 570-572 | | | | |
| | 44 | Fong et al. (1991) "Advantages of multiple cell culture systems for detection of mixed-virus infections," J. Virol. Methods 33:283-289 | | | | |
| | 45 / | Tougianidou et al. (1989) "Assessment of Various Cell Lines (including Mixed Cell Cultures) for the Detection of Enteric Viruses in Different Water Sources," Water Science and Tech. 21:311-314 | | | | |
| | 46 🖊 | Subrahmanyan et al. (1974) "The Development of Double Seeded and Mixed Cell Culture Systems for Use in Diagnostic Virology," Archiv Fuer Die Gesamte Virusforschung 44:291-297 | | | | |
| Examiner: | | | Date Considered: | | | |
| EXAMINER: | | tial citation considered. Draw line through citation if not in confi h next communication to applicant. | formance and not considered. Include cop | y of this form | | |

| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | Attomey Docket No.: DHI-08810 | Serial No.: 10/813,852 | | | |
|---|------|---|--|------------------------|--|--|--|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | Applicant: David R. Scholl et al. | | | | |
| (37 CFR § 1.98(b |))) | (See Contract States II / Cooperation | Filing Date: 03/30/04 | Group Art Unit: | | | |
| | | OTHER DOCUMENTS (Including Author, Title, Da | ate, Relevant Pages, Place of Publication) | | | | |
| | 47/ | Huang et al. (2000) "Application of mixed cell lines for the detection of viruses from clinical specimens," Clin. Microbiol. Newsletter 22:89- | | | | | |
| | 48 / | Reina et al. (1997) "Comparison of Madin-Darby canine kidney cells (MDCK) with a green monkey continuous cell line (Vero) and human lung embryonated cells (MRC-5) in the isolation of influenza A virus from nasopharyngeal aspirates by shell vial culture," J. Clin. Microbiol. 35:1900-1901 | | | | | |
| | 49 (| Schultz-Cherry et al. (1998) "Mink lung epithelial cells: Unique cell line that supports influenza A and B virus replication," J. Clin. Microbiol. 36:3718-3720 | | | | | |
| | 50 / | Huang et al. (2000) "Mink lung cells and mixed mink lung and A549 cells for rapid detection of influenza virus and other respiratory viruses," J. Clin. Microbiol. 38:422-423 | | | | | |
| | 51 / | Rangan et al. (1972) "Detection and assay of feline leukemia virus (FeLV) by a mixed culture cytopathogenicity method," Virol. 47:247-250 | | | | | |
| | 52 / | Karetnyi et al. (1982) "Use of a co-cultivation method for detecting cytomegalovirus contamination of cell cultures of simian origin," Voprosy Virusdogii 27(2), Abstract | | | | | |
| | 53 (| Scholl et al., U.S. Application No. 20030215796 published 11/20/03 | | | | | |
| | 54 / | Chan et al. (2003) "Human Metapneumovirus Detection in Patients with Severe Acute Respiratory Syndrome," Emerging Infec. Dis. 9:1058-1063 | | | | | |
| | 55 / | Frank et al. (1979) "Comparison of Different Tissue Cultures for Isolation and Quantitation of Influenza and Parainfluenza Viruses," J. Clin. Microbiol. 10:32-36 | | | | | |
| | 56 / | Setterquist et al. "A Comparison of LLC-MK2 and R-Mix [™] (A549, MV1lu) Cells for the Detection of Human Metapneumovirus," 19th Annual Clinical Virology Symposium, Clearwater, FL, April 27-30, 2003 | | | | | |
| | 57 | Genomes, T.A. Brown, Wiley-Liss, 1994, page 179 | | | | | |
| | 58 🖊 | Biochemistry, Third Edition, W.H. Freeman and Company, NY, 1988, page 98 | | | | | |
| | 59 / | The Encyclopedia of Molecular Biology, Blackwell Science, 1994, page 225 | | | | | |
| | | | | | | | |
| Examiner: | | | Date Considered: | | | | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |